



Briefcase handle replacement

B Benoît Lussier

[VIEW IN BROWSER](#)

updated 8. 2. 2022 | published 8. 2. 2022

Summary

You can replace your broken handle of your briefcase instead of trying it away



4.13 hrs



2 pcs



0.15 mm



0.40 mm



PET



44 g



Prusa
MK3/S/S+

[Household](#) > [Office](#)

Tags: [briefcase](#)

Final version done in black Materio3D PETG. You can use a set screw, dowel pin or a nail (you can cut the end) for the axis. You need 2 anchors to fix the handle.

Model files



ancrage-poigne-de-valise.stl



poigne-de-valise.stl

Print files



ancrage-poigne-de-valise_015mm_petg_mk3s_45m.gcode

PET 0.40 mm 0.15 mm 0.75 hrs 5 g Prusa MK3/S/S+



poigne-de-valise_015mm_petg_mk3s_3h23m.gcode

PET 0.40 mm 0.15 mm 3.38 hrs 39 g Prusa MK3/S/S+

License

This work is licensed under a
[Creative Commons \(4.0 International License\)](#)



Attribution—Noncommercial—Share Alike

- ✗ | Sharing without ATTRIBUTION
- ✓ | Remix Culture allowed
- ✗ | Commercial Use
- ✗ | Free Cultural Works
- ✗ | Meets Open Definition

