



## JTAG flashing Jig for ARDUINO NANO 33 BLE SENSE



Mat

[VIEW IN BROWSER](#)

updated 8. 2. 2022 | published 8. 2. 2022

### Summary

You'll need to remove the plastic bits from the pins to get them through the holes and then reattach them



0.95 hrs



2 pcs



0.20 mm



0.40 mm



PLA



10 g



Prusa  
MK3/S/S+

[Hobby & Makers](#) > [RC & Robotics](#)

Tags: [flash](#) [arduino](#) [nano](#) [rust](#) [jtag](#) [os](#) [tock](#)

### Model files



jig.3mf

# Print files

## jig\_02mm\_pla\_mk3smmu2s\_57m.gcode



⚙️ PLA ⚙️ 0.40 mm ⚙️ 0.20 mm ⌚ 0.95 hrs ⚖️ 10 g

🖨️ Prusa MK3S/S+ & MMU2S

## jig\_02mm\_pla\_mk3s\_57m.gcode



⚙️ PLA ⚙️ 0.40 mm ⚙️ 0.20 mm ⌚ 0.95 hrs ⚖️ 10 g 🖨️ Prusa MK3/S/S+

# License ©

This work is licensed under a  
**GNU**



**General Public License v2.0**

- ✖ | Sharing without ATTRIBUTION
- ✓ | Remix Culture allowed
- ✓ | Commercial Use
- ✓ | Meets Open Definition
- i | Share under the same license