

Damper

 Jack

[VIEW IN BROWSER](#)

updated 25. 2. 2023 | published 25. 2. 2023

Summary

Ø25mm h=20mm decoupling feet with M3 / M4 thread (7mm top also fit into profile slot)

[3D Printers](#) > [3D Printers - Upgrades](#)

Tags: [flexible](#) [antivibration](#) [damper](#) [vibration](#) [printerfeet](#)
[vibrationdampening](#) [vibrationdampers](#) [dampener](#) [dampening](#)
[vibrationdamper](#) [vibrationfeet](#) [vibrationdampener](#)
[antivibrationmount](#) [antivibrationfoot](#) [schwingungsdaempfer](#)
[flexiblefeet](#)

Print

- use support to ensure clean structure underside
- hard version can also be printed in TPU

Model files



22-050damper6mediumsoftm4.3mf



22-050damper6mediumsoftm3.3mf



22-050damper4soft.3mf




22-050damper3extremsoft.3mf



22-050damper8medium.3mf



22-050damper12hard.3mf



22-050damper.scad

License

This work is licensed under a
[Creative Commons \(International License\)](https://creativecommons.org/licenses/by/4.0/)

Public Domain



- ✓ | Sharing without ATTRIBUTION
- ✓ | Remix Culture allowed
- ✓ | Commercial Use
- ✓ | Free Cultural Works
- ✓ | Meets Open Definition