



Replicator (plus CTC and other Clones) Dual Extruder Level



Inhibit

[VIEW IN BROWSER](#)

updated 12. 4. 2022 | published 3. 12. 2019

Summary

This is a level tool for the dual nozzle Replicator (and clones such as the CTC Bizer).

[3D Printers](#) > [3D Printers - Upgrades](#)

Tags: [tool](#) [level](#) [replicator](#) [dualextruder](#)

This is a level tool for the dual nozzle Replicator (and clones such as the CTC Bizer).

I didn't want to take my entire print head off of it's carriage to level nozzles. Unlike some of the older printers the nozzles on the CTC are held on by a grub (set) screw and don't require removing the heatsink bar that holds them in place to line them up.

So this is a shorter version of other tools for aligning the nozzles with each other and the carriage. You should be able to press it into place, make sure the nozzles are flush with it, then tighten their setting screw and call it a day. I also put mounting screw holes similar to other tools in case they come in handy on your carriage.

Find more of my work at <https://pcburn.com>

Print instructions Category: 3D Printer Accessories Print Settings

Printer Brand: SeeMeCNC

Printer: Rostock MAX v2

Rafts: No

Supports: No

Resolution: .3

Infill: 20%

Notes:

Seemed to work just fine as a PLA print.

Model files



replicator-dual_extruder_level.stl

[Find source .stl files on Thingiverse.com](#)

License ©

This work is licensed under a
Creative Commons (4.0 International License)



Attribution-ShareAlike

-
- ✗ | Sharing without ATTRIBUTION
 - ✓ | Remix Culture allowed
 - ✓ | Commercial Use
 - ✓ | Free Cultural Works
 - ✓ | Meets Open Definition

