



## Case for LoRaWAN Mailbox Monitor LoRaProMini



foorschbar

[VIEW IN BROWSER](#)

updated 12. 2. 2022 | published 12. 2. 2022

### Summary

A case for the universal low power LoRaWAN sensor node LoRaProMini used as a mailbox monitor



3.08 hrs



2 pcs



0.20 mm  
0.15 mm



0.40 mm



PLA



36 g




Prusa MINI /  
MINI+

[Hobby & Makers](#) > [Electronics](#)

A case for the universal low power LoRaWAN sensor node **LoRaProMini** used as a mailbox monitor. Based on ATmega328P MCU (Arduino Pro Mini) and RFM95W/SX1276 LoRa Transceiver.



## Model files



**mailbox-monitor-bottom-ps.3mf**



**mailbox-monitor-top-ps.3mf**

## Print files



**prusa\_mailbox-monitor-bottom-ps\_02mm\_pla\_mini\_2.gcode**

⚙️ PLA ⚙️ 0.40 mm ⚙️ 0.20 mm ⌚ 2.21 hrs ⚖️ 26 g 🖨️ Prusa MINI / MINI+



## prusa\_mailbox-monitor-top-ps\_015mm\_pla\_mini\_52m.gcode

🌐 PLA 🌀 0.40 mm ≡ 0.15 mm ⌚ 0.87 hrs ⚖️ 10 g 🖨️ Prusa MINI / MINI+

## License ©



This work is licensed under a  
[Creative Commons \(4.0 International License\)](#)

### Attribution-ShareAlike

---

- ✗ | Sharing without ATTRIBUTION
- ✓ | Remix Culture allowed
- ✓ | Commercial Use
- ✓ | Free Cultural Works
- ✓ | Meets Open Definition