



Loki's Dagger separated



Archie

[VIEW IN BROWSER](#)

updated 12. 4. 2022 | published 12. 2. 2022

Summary

Split into 3 parts and added slot for bolt in handle and hole for embedded nut in blade. Intended for 6-32 hex head...

[Costumes & Accessories](#) > [Props](#)

Tags: [dagger](#) [cosplaydagger](#) [loki](#) [tva](#) [variant](#)
[lokilaufeyson](#)

Split into 3 parts and added slot for bolt in handle and hole for embedded nut in blade. Intended for 6-32 hex head machine screw and a 6-32 hex nut.

You can probably omit supports on both blade and hilt. They're small enough holes.

Guard will need them under the ends.

EDIT:

Uploaded V2. Wider parts so there would be two extrusions on either side of the nut

6-32 hex nut is gonna be tight in the blade I actually ground mine off slightly on each side to make it fit. Might look at a square nut to save

space. Hilt side fit perfectly. Hex head 6-32 may be harder to find so will probably make one that fits a regular pan head 6-32.

Print Settings

Printer:

JGMaker Artist-D

Rafts:

No

Supports:

No

Resolution:

.2mm

Infill:

25

Filament:

n/a PLA Category: Props

Model files



lokidaggerblade.stl



lokidaggerguard.stl



lokidaggerguardv2.stl



lokidaggerbladev2.stl



lokidaggerhilt.stl



lokidaggerhiltv2.stl

[Find source .stl files on Thingiverse.com](#)

License ©



This work is licensed under a
Creative Commons (4.0 International License)

Attribution-NonCommercial

-
- ✗ | Sharing without ATTRIBUTION
 - ✓ | Remix Culture allowed
 - ✗ | Commercial Use
 - ✗ | Free Cultural Works
 - ✗ | Meets Open Definition