



Fletching jig for Ek Archery Adder bolts / Befiederungsgerät für Ek Archery Adder



Stefan

[VIEW IN BROWSER](#)

updated 8. 5. 2022 | published 14. 2. 2022

Summary

Fletching jig for Ek Archery Adder crossbow two vanes bolts by Joerg Sprave

[Sports & Outdoor](#) > [Other Sports](#)

Tags: [jig](#) [bolts](#) [arrow](#) [fletch](#) [crossbow](#) [adder](#)
[befiederungsgeraet](#)

Fletching jig for original Ek Archery 7.5" **Adder Crossbow** Bolts by Joerg Sprave (2 Vanes).

Print:

1x Base

1x Arm_A (or Arm_A_0.3_Offset)

1x Arm_B (or Arm_B_0.3_Offset)

2x Lever

Parts needed:

3x M3x30mm Screw FH

3x M3 Nut (recommended nylock Nut)

4x Washer (optional)

Optional: 2x 15mm or 30mm Woodscrew, 1x wooden board approx. 60x60mm.

Befiederungsgerät für original Ek Archery 7.5" Adder Bolzen von Joerg Sprave (2 Federn).

Drucken: Siehe oben.

Desweiteren benötigt:

3x M3x30mm Schraube flachkopf

3x M3 Mutter (selbstsichernde Mutter empfohlen)

4x Unterlegscheiben (optional)


Optional: 2x 15mm oder 30mm Holzschrauben, 1x Stück Brett ungefähr 60x60mm.

Update 08.05.22

-german translation added

-deutsche Übersetzung hinzugefügt

Model files



arrow2vanesfletchingjig_arm_a.stl



arrow2vanesfletchingjig_arm_a_03_offset.stl



arrow2vanesfletchingjig_arm_b.stl



arrow2vanesfletchingjig_lever.stl



arrow2vanesfletchingjig_arm_b_03_offset.stl



arrow2vanesfletchingjig_base.stl

License

This work is licensed under a
Creative Commons (4.0 International License)



Attribution-NonCommercial

- ✗ | Sharing without ATTRIBUTION
- ✓ | Remix Culture allowed
- ✗ | Commercial Use
- ✗ | Free Cultural Works
- ✗ | Meets Open Definition