



Rival Knockout Barrel/Muzzle

 **PureDeath**

[VIEW IN BROWSER](#)

updated 12. 4. 2022 | published 16. 2. 2022

Summary

designed for 8.5in 9/16 brass, uses 2 4-40x 3/8in screws from a caliburn to attach the barrel and slide. Cut the stock...

[Hobby & Makers](#) > [Other Ideas](#)

Tags: [nerfrivalknockout](#)

designed for 8.5in 9/16 brass, uses 2 4-40x 3/8in screws from a caliburn to attach the barrel and slide. Cut the stock slide/barrel spring down so its just loose (almost no preload) and sand your brass as needed. Step files are included feel free to design your own muzzles to attach.

Print Settings

Supports:

Yes

Resolution:

0.2mm

Notes:

I recommend printing both with 2 walls and 15%infill to save weight, If your slicer allows it increase the walls around the spring hook to at least 4.

The Replacement Barrel does not need supports, the Square Suppressor does, make sure all support material is removed before assembly there should not be any gaps between the 2 parts.

Post-Printing

I did not have to sand the shell on my painted knock out, if you get to much paint on the inside you might.

Category: Hobby

Model files



replacement_barrel_v4_rotated.stl



replacement_barrel_v15.step



square_suppressor_v4_rotated.stl

[Find source .stl files on Thingiverse.com](#)

License ©

This work is licensed under a
[Creative Commons \(4.0 International License\)](#)



Attribution—Noncommercial—Share Alike

✗ | Sharing without ATTRIBUTION

✓ | Remix Culture allowed

- ✕ | Commercial Use
- ✕ | Free Cultural Works
- ✕ | Meets Open Definition