



Radius Gauge - Jauge pour Congés



Masp971

[VIEW IN BROWSER](#)

updated 12. 4. 2022 | published 26. 3. 2022

Summary

EN Rounding gauge two If the first one was the Female this one is the Male
You will need : 1x M4 nut (hexagonal or...

[Hobby & Makers](#) > [Tools](#)

Tags: [rounding](#) [radiusgauge](#) [radiustool](#)

EN

Rounding gauge two

If the first one was the Female this one is the Male

You will need :

1x M4 nut (hexagonal or square depending on the STL chosen)

1x M4x18 screw

Two or three tools and hands

The STLs for the gauges are individual (jam 1-2.stl to jam 15-16.stl) or grouped (jam 1-16.stl)

1 STL groups all the parts (jam full.stl)

Voilà

FR

Jauge d'arrondis deux

Si la première était la Femelle celle-là est le Mâle

Vous aurez besoin de :

1x écrou M4 (hexagonale ou carré selon le STL choisi)

1x vis M4x18

Deux ou trois outils et des mains

Les STL des jauges sont individuels (jam 1-2.stl à jam 15-16.stl) ou groupés (jam 1-16.stl)

1 STL regroupe toutes les pièces (jam full.stl)

Voilà

Print Settings

Printer Brand:

Creality

Printer:

Ender 3

Rafts:

No

Supports:

Yes

Resolution:

.2

Infill:

30% honeycomb

Filament: wanhao PLA

Category: Hand Tools

Model files



jam_1-16.stl



jam_1-2.stl



jam_ecrou_carre.stl



jam_11-12.stl



jam_ecrou_hexa.stl



jam_full.stl



jam_vis.stl



jam_rondelle.stl



jam_7-8.stl



jam_5-6.stl



jam_15-16.stl



jam_9-10.stl



jam_3-4.stl



jam_13-14.stl

[Find source .stl files on Thingiverse.com](#)

License ©



This work is licensed under a
Creative Commons (4.0 International License)

Attribution—Noncommercial—Share Alike

-
- ✗ | Sharing without ATTRIBUTION
 - ✓ | Remix Culture allowed
 - ✗ | Commercial Use
 - ✗ | Free Cultural Works
 - ✗ | Meets Open Definition