



## Debug OLED Screen Holder



BitScout

[VIEW IN BROWSER](#)

updated 28. 3. 2022 | published 28. 3. 2022

### Summary

Small housing to make an OLED screen more robust and easier to read



1.74 hrs



2 pcs



0.20 mm



0.40 mm



PLA



10 g



Prusa MINI /  
MINI+

[Hobby & Makers](#) > [Electronics](#)

Tags: [holder](#) [screen](#) [oled](#) [oleddisplay](#)

Simple 45 degree holder for the widespread 128x64 pixel 4-Pin OLED screens:

<https://create.arduino.cc/projecthub/MisterBotBreak/how-to-use-an-oled-screen-128-per-64-cb6e4d>

Required screws and nuts: 4 pieces of M2x8

# Model files



**debug-screen-holder-labelled.stl**



**debug-screen-holder.stl**

# Print files



**debug-screen-holder-labelled\_02mm\_pla\_mini\_52m.gcode**

🌀 PLA 📏 0.40 mm ⚖️ 0.20 mm ⌚ 0.87 hrs ⚖️ 5 g 🖨️ Prusa MINI / MINI+



**debug-screen-holder\_02mm\_pla\_mini\_52m.gcode**

🌀 PLA 📏 0.40 mm ⚖️ 0.20 mm ⌚ 0.87 hrs ⚖️ 5 g 🖨️ Prusa MINI / MINI+

# License ©

This work is licensed under a  
[Creative Commons \(4.0 International License\)](#)



**Attribution—Noncommercial—Share Alike**

- ✗ | Sharing without ATTRIBUTION
- ✓ | Remix Culture allowed
- ✗ | Commercial Use
- ✗ | Free Cultural Works
- ✗ | Meets Open Definition

