



Strong garden hose holder



s0ren

[VIEW IN BROWSER](#)

updated 27. 9. 2026 | published 27. 9. 2026

Summary

Arches 65 degrees, holes and cutouts for filament usage optimized reinforcement.



15.57 hrs



1 pcs



0.20 mm



0.40 mm



PET



239 g



Prusa CORE
One / +

[Household](#) > [Outdoor & Garden](#)

Tags: [water](#) [wall](#) [holder](#) [cable](#) [mount](#) [garden](#) [hose](#)

Mounting

4 x M5 or M6 screws

Recommended print settings

- PCTG or ASA (for strength and UV resistance)
- Print on it's side (model default orientation)
- 3 or more walls
- 0.2mm layer height
- 7 or more top and bottom layers

- 10% gyroid infill
- No brim or support

Model files



garden-hose-holder.3mf



garden-hose-holder.fcstd

 FreeCAD

Print files



garden-hose-holder_04n_02mm_pctg_coreone_15h34m.bgcode

 PET  0.40 mm  0.20 mm  15.57 hrs  239 g  Prusa CORE One / +

 PCTG

License

This work is licensed under a
[Creative Commons \(International License\)](#)



Public Domain

- ✓ | Sharing without ATTRIBUTION
- ✓ | Remix Culture allowed
- ✓ | Commercial Use
- ✓ | Free Cultural Works
- ✓ | Meets Open Definition

