




Paracord & Guy Line Winder + 4 Tent Rope Tensioners - Camping Cord Organizer

 shellylee3d

[VIEW IN BROWSER](#)

updated 27. 10. 2026 | published 27. 10. 2026

Summary

Flat paracord/guy-line winder with lock slits + 4 three-hole tent tensioners. Flush orange inlay, no supports.

[Sports & Outdoor](#) > [Outdoor Sports](#)

Tags: [organizer](#) [hiking](#) [tensioner](#) [outdoor](#) [camping](#)
[winder](#) [paracord](#) [rope](#) [tent](#) [guyline](#)



Keep tent guy lines and paracord tangle-free and ready to deploy. This set has one flat cord winder and four classic 3-hole guy-line tensioners. Everything packs flat in your camping kit.

Winder features:

U-notches at both ends: wind cord lengthwise and it stays put

4 angled cord-lock slits on the long edges that pinch the loose end so the bundle never unravels: 2 sized for 550 paracord, 2 for thin guy line

Clip hole for a carabiner, backpack strap or keyring

Safety-orange chevrons and an orange ring around the clip hole so it is easy to spot in grass, sand or a dark gear bag. These are flush two-color inlays, with no paint or sticker to wear off and no text or logo.

The 3-hole tensioners are the proven runner style: tie the line to the first hole, loop it around the stake, then thread it back through the other two. Slide to tighten; friction holds the tension. Their orange end caps make them easy to find when you strike camp.

Key dimensions (measured from the model, mm):

Winder: 130.0 x 62.0 x 5.0 (about 5.1 x 2.4 x 0.2 in), corner radius 8

End notches: 24.0 wide x 22.0 deep (R12 bottom); 86.0 between notch bottoms

Capacity (estimate): about 7 m / 22 ft of 550 paracord (Ø4) or about 16 m / 53 ft of Ø2.5 guy line

Paracord lock slits: 2.8 to 2.0 wide, 12 long, 45°; guy-line lock slits: 1.8 to 1.2 wide

Clip hole: Ø9.0 with an orange ring (OD 14.0)

Tensioner (x4): 44.0 x 14.0 x 4.0, three Ø5.0 holes at 13.0 pitch, for cord about 2.5–4 mm

Colors: forest green body (#2E6B3F) with safety-orange (#FF8C1A) flush inlay, 0.6 deep

Prints flat with no supports. On a Bambu Lab H2D the whole set takes 0h50m and 28.1 g of PLA (sliced result).

For long outdoor UV exposure, choose PETG or ASA. Custom slit and hole sizes are available for other cord diameters.

Model files



winder_accent.stl



winder_body.stl



cord_winder_set_h2d.3mf



accent.stl



tensioner_accent.stl



tensioner_body.stl



body.stl

License ©

This work is licensed under a **Standard Digital File License**.

Digital files have a strict non-commercial, personal use only license.

You shall not share, sub-license, sell, rent, host, transfer, or distribute in any way the digital file or 3D printed versions of this object, nor any other derivative work of this object in its digital or physical format (including remixes of this object).

You can not host these files on other digital platforms, web stores or cloud repositories.

The objects may not be used in any way whatsoever in which you charge money, collect fees.

-
- ✖ | No sharing or redistributing in any way of the 3D files or derivatives
 - ✖ | No remixing
 - ✖ | Non-commercial Use (only for personal use)