




Softbox Cuboid Light Parametric



[VIEW IN BROWSER](#)

updated 27. 10. 2026 | published 27. 10. 2026

Summary

Softbox Cuboid Light Parametric

[Hobby & Makers](#) > [Tools](#)

Tags: [softbox](#)

As always , Very Open Source!

The OpenSCAD file is included.


01 / FOUR SHAPES FROM ONE SOURCE

A frame that fits your setup.

Same 116 × 67 × 16 mm light. Change the depth and flare in OpenSCAD.


SHALLOW

depth 45 mm / angle 24°




STANDARD

depth 60 mm / angle 24°




DEEP

depth 90 mm / angle 24°



WIDE FLARE

depth 60 mm / angle 35°



Change `softbox_depth` and `wall_angle`.
The 35° preset also sets `wallcover_lip_clearance` = 1.5 mm.


SAME SCALE / TWO COVERS REMOVED FOR VISIBILITY / CAD RENDERS

Model files

softbox_cuboid_veryos.3mf



cuboid_video_light_softboxv5.scad



License ©

This work is licensed under a
Creative Commons (4.0 International License)



Attribution

- ✗ | Sharing without ATTRIBUTION
- ✓ | Remix Culture allowed
- ✓ | Commercial Use
- ✓ | Free Cultural Works
- ✓ | Meets Open Definition