



Screwdriver + Electrical Enclosure Key / Šroubovák + Klíč k rozvaděči



LUC4SB

[VIEW IN BROWSER](#)

updated 20. 5. 2022 | published 16. 5. 2022

Summary

Rittal, 6/7/8mm 4hran, 10mm trojúhelník, 6mm bitový nástavec / Rittal, 6/7/8mm square, 10mm triangle, 6mm bit holder



N/A



3 pcs



0.20 mm



0.40 mm



PLA



N/A



Prusa
MK3/S/S+

[Hobby & Makers](#) > [Tools](#)

Tags: [bit](#) [bitholder](#) [cabinet](#) [electrical](#) [holder](#) [key](#) [klic](#)
[nastavec](#) [rittal](#) [screwdriver](#) [screwdriverbit](#) [square](#)
[sroubovak](#) [triangle](#) [rozvadec](#) [electricalenclosure](#)

Nástroj se třemi klíči na odemykání rozvaděčů a šestihranným 6mm slotem na prodlužovací nástavec k bitovému šroubováku. Rukojeť s postranními klíči přidává lepší úchop a větší točivý moment pro povolování šroubů/matic.

Čtyřhranný klíč ve variantách: 6mm, 7mm, 8mm.


A tool with three keys for opening electrical enclosures and a hexagonal 6mm socket for a bit holder. Handle with side keys adds better grip and bigger torque for bolts/nuts loosening.

Square key in variants of: 6mm, 7mm, 8mm.

Model files



enclosure_key_final_6mm_square.stl



enclosure_key_final_7mm_square.stl



enclosure_key_final_8mm_square.stl

Print files



enclosure_key_6mm_square_02mm_pla_mk3s_2h20m.gcode

⚙️ PLA ⚙️ 0.40 mm ⚙️ 0.20 mm ⌚ 2.33 hrs ⚖️ 24 g 🖨️ Prusa MK3/S/S+

☐ včetně opěr / including supports



enclosure_key_7mm_square_02mm_pla_mk3s_2h19m.gcode

⚙️ PLA ⚙️ 0.40 mm ⚙️ 0.20 mm ⌚ 2.32 hrs ⚖️ 24 g 🖨️ Prusa MK3/S/S+

☐ včetně opěr / including supports



enclosure_key_8mm_square_02mm_pla_mk3s_2h19m.gcode

⚙️ PLA ⚙️ 0.40 mm ⚙️ 0.20 mm ⌚ 2.31 hrs ⚖️ 24 g 🖨️ Prusa MK3/S/S+

☐ včetně opěr / including supports

License ©

This work is licensed under a
Creative Commons (4.0 International License)



Attribution

- ✗ | Sharing without ATTRIBUTION
- ✓ | Remix Culture allowed
- ✓ | Commercial Use
- ✓ | Free Cultural Works
- ✓ | Meets Open Definition