

Hard Shell Armour for RileyLink by rsilvers



rsilvers

[VIEW IN BROWSER](#)

updated 17. 5. 2022 | published 17. 5. 2022

Summary

Printing for non-commercial use only. Available professionally manufactured at www.loopcases.com Empty weight: 38g...

[Hobby & Makers](#) > [Electronics](#)

Tags: [loop](#) [openaps](#) [rileylink](#)

Printing for non-commercial use only.

Available professionally manufactured at www.loopcases.com

Empty weight: 38g

Dimensions: 25Lx42Wx77H mm / 0.98x1.65x3.03"

Replace o-ring with #122 for mid-section and #135 70D to secure top to bottom.

Also in this is the wireless version which needs a wireless charging coil:
<https://www.loopcases.com/product/wireless-armour-for-loop/>

Empty weight: 34g

Weight with Loop electronics: 62g

Dimensions: 24.5Lx38.5Wx72.8H mm

Uses 1mm diameter by 26mm ID o-rings.

Category: Electronics


Model files




large_display_wireless_shell_top_v87_207886.stl




large_display_wireless_shell_bottom_v46_207886.stl




hard_shell_top_v104.stl



hard_shell_bottom_v73.stl



wireless_shell_bottom_v46.stl



wireless_shell_top_v87.stl

[Find source .stl files on Thingiverse.com](#)

License ©

This work is licensed under a
Creative Commons (4.0 International License)



Attribution—Noncommercial—No Derivatives

- ✕ | Sharing without ATTRIBUTION
- ✕ | Remix Culture allowed
- ✕ | Commercial Use
- ✕ | Free Cultural Works
- ✕ | Meets Open Definition