



## Buccan Salt & Pepper grinder replacement



Stijn Eeltink

[VIEW IN BROWSER](#)

updated 16. 8. 2022 | published 16. 8. 2022

### Summary

Model to replace the fragile see-through part of a Buccan salt or pepper grinder.



2.97 hrs



2 pcs



0.25 mm



0.40 mm



PLA



36 g



Prusa MINI /  
MINI+

[Household](#) > [Kitchen](#)

Tags: [grinder](#) [pepper](#) [replacement](#) [salt](#) [buccan](#)

Last week my Buccan pepper grinder broke and since these grinders seem to be very fragile, I designed a replacement part.

Part should be glued to the bottom section, after which it can be used as normal.

# Model files



## grinderreplacement\_w\_bracket.3mf

☐ This model includes the bracket that keeps the spring in place.

---



## grinderreplacement\_wo\_bracket.3mf

☐ This model does NOT include the bracket that keeps the spring in place.

# Print files



## replacementgrinder\_w\_025mm\_pla\_mini\_1h37m.gcode

🌀 PLA 📏 0.40 mm 📏 0.25 mm ⌚ 1.61 hrs ⚖️ 19 g 🖨️ Prusa MINI / MINI+

☐ This gcode file includes the bracket that keeps the spring in place.

---



## replacementgrinder\_wo\_025mm\_pla\_mini\_1h21m.gcode

🌀 PLA 📏 0.40 mm 📏 0.25 mm ⌚ 1.36 hrs ⚖️ 17 g 🖨️ Prusa MINI / MINI+

☐ This gcode file does NOT include the bracket that keeps the spring in place.

# License ©

This work is licensed under a  
[Creative Commons \(4.0 International License\)](#)



## Attribution

---

- ✗ | Sharing without ATTRIBUTION
- ✓ | Remix Culture allowed
- ✓ | Commercial Use
- ✓ | Free Cultural Works
- ✓ | Meets Open Definition

