



Bicycle watch holder



Thorin Oakenshield

[VIEW IN BROWSER](#)

updated 10. 8. 2022 | published 10. 8. 2022

Summary

Bicycle watch holder, outside the handlebar ,for straps with a width of 22 mm



4.60 hrs



1 pcs



0.20 mm



0.40 mm



PLA



46 g



Prusa
MK3/S/S+

[Sports & Outdoor](#) > [Outdoor Sports](#)

Tags: [bicycle](#) [holder](#) [watch](#)

The holder is made of two parts, so that the collar can be pressed around the strap better, glue them together.

For fastening, you need M3X35mm screws and nuts, MX20mm screws and self-locking nuts

Drill the holes for the screws with 3 and 5 mm drill bits so that the screws go well into the holes

In g-code I used 4 perimeters and 6 upper and lower layers for higher strength. I recommend a strip of rubber foam around the holder for shock absorption

Model files



watch-holder.3mf

Print files



watch-holder_02mm_pla_mk3s_4h36m.gcode

PLA 0.40 mm 0.20 mm 4.60 hrs 46 g Prusa MK3/S/S+

License ©



This work is licensed under a
[Creative Commons \(4.0 International License\)](#)

Attribution—Noncommercial—Share Alike

-
- ✗ | Sharing without ATTRIBUTION
 - ✓ | Remix Culture allowed
 - ✗ | Commercial Use
 - ✗ | Free Cultural Works
 - ✗ | Meets Open Definition