



Kar98k bolt action ballpoint pen



FreddyZ

[VIEW IN BROWSER](#)

updated 12. 9. 2022 | published 12. 9. 2022

Summary

"Kargelschreiber" Kar98k inspired, takes Pilot G2 cartridge



4.71 hrs



4 pcs



0.15 mm
0.20 mm



0.40 mm



PLA



17 g



Prusa
MK3/S/S+

[Gadgets](#) > [Other Gadgets](#)

Tags: [ballpointpen](#) [boltactionpen](#) [karabiner](#) [pen](#)

Everyone loves bolt-action pens so why not have a pen that looks like a bolt action rifle? What started as a joke turned out to be one of my favorite 3D Printing projects to date.

be sure to check out everyone's awesome makes!BOM

- printed parts (stock, barrel, front furniture, small pieces)
- Pilot G2 refill cartridge
- Pilot G2 compatible spring (OD:6,2mm, ID:5,3mm, L:20mm)
- alternatively salvage a Pilot G2-07 pen (~2.5€)

Print Instructions (total 4h40min)

all prusaslicer .3mf project files have custom supports and seams.

- **stock & front-furniture:** print upright, ~0.15mm layer height, stock supports not required but useful for bad bed adhesion or high accelerations. MK3S(+) w/ satin sheet does not require them.
- **barrel:** print upright, ~0.2mm layer height, support required (up to the ejection port)
- **small pieces:** same filament as barrel, just print them in the orientation that they come in the prusaslicer .3mf or alternatively as indicated in the file description of the standalone pieces.
PSA cellulose (woodfill) is hygroscopic → drying filament beforehand highly recommended

Print cleanup

tolerances are **tight**. Keep sidecutters and razor blade etc. handy. Parts will need to be touched up and individual mating surfaces might need some love. **No glue or screws** though

Assembly

1. grab the “bolt” and sand it until it slides smooth within the barrel (I use a drill & sandpaper)
2. pressfit the “bolt handle” into the hole close to the rear of the bolt
3. insert the spring and Pilot G2 cartridge into the barrel
4. push in the bolt against the spring and secure it with the small cylinder through the cutout in the barrel



5. pressfit the “trigger assembly” into the stock

6. insert the square block on the barrel into the square hole in the stock



7. slide the other wooden “front piece” onto the barrel and slide it below the rear sight



8. add the front retaining band and the front sight

I've previously used colorfabb steelfill but I prefer the look of Prusament Galaxy Black (pictured). The stock is printed in woodfill PLA.

I'd love to see how your Kargelschreiber turns out :)

Model files



Prusaslicer files with custom supports and seams

6 files



stock-v2-ps.3mf

☐ V2 with PRUSASLICER specific seams, no support



front-furniture-ps.3mf

☐ with PRUSASLICER specific seams and supports



kar98k-pen-barrel-v3-ps.3mf

☐ with PRUSASLICER specific seams and supports



small-metal-parts-ps.3mf

☐ with PRUSASLICER specific seams and supports



stock-v2-supported-ps.3mf

☐ BACKUP with custom support, usually not necessary



small-metal-parts-prearranged.stl

☐ conveniently arranged small parts in a single file, please support the trigger assembly



raw 3D files

9 files



stock-kar98k-v2.3mf

☐ V2 minimal changes to eliminate unnecessary thin walls



barrel-v3.3mf

☐ added chamfer near tip, print with supports, rear barely touching bed



front-furniture.3mf

☐ print upright with supports



trigger-group.3mf

☐ print with pegs facing down, supported on build plate only



front-bling.3mf

☐ print with rod facing up



bolt.3mf

☐ print upright with flat face down



bolt-guide.3mf



bolt-handle.3mf

☐ flat side down



sight-front.3mf

☐ flat side down



Archive of old versions

5 files



kar98k-stock.3mf

☐ V1 with prusaslicer seams and supports



kar98k-stock-no-support.3mf

☐ V1 with prusaslicer seams



barrel.3mf

☐ print upright



barrel-v2.3mf

☐ print upright, V2 with enlarged muzzle diameter



stock-kar98k.3mf

☐ V1

Print files



front-furniture_015mm_woodpla_mk3s_36m.gcode

PLA 0.40 mm 0.15 mm 0.60 hrs 2 g Prusa MK3/S/S+

☐ using colorfabb woodfill 200°C profile



small-pieces_02mm_pla_mk3s_32m.gcode

PLA 0.40 mm 0.20 mm 0.54 hrs 2 g Prusa MK3/S/S+

☐ Prusament defaults



kar98k-pen-barrel-v3_02mm_pla_mk3s_1h7m.gcode

PLA 0.40 mm 0.20 mm 1.11 hrs 4 g Prusa MK3/S/S+



stock-v2_015mm_woodpla_mk3s_2h28m.gcode

PLA 0.40 mm 0.15 mm 2.46 hrs 9 g Prusa MK3/S/S+

☐ using colorfabb woodfill 200°C profile

License

This work is licensed under a
Creative Commons (4.0 International License)



Attribution—Noncommercial—Share Alike

- ✗ | Sharing without ATTRIBUTION
- ✓ | Remix Culture allowed
- ✗ | Commercial Use
- ✗ | Free Cultural Works
- ✗ | Meets Open Definition