



Filament plack for Drybox



Xoggy

[VIEW IN BROWSER](#)

updated 9. 5. 2020 | published 9. 5. 2020

Summary

This is just a small info plack that you snap in instead of the humidity sensor to show what filament is inside the...



0.54 hrs



2 pcs



0.30 mm



0.40 mm



PLA
PET



11 g



Prusa
MK3/S/S+

[3D Printers](#) > [Accessories](#)

This is just a small info plack that you snap in instead of the humidity sensor to show what filament is inside the drybox.

This plack is also a nice first print of each new roll of filament to check that all settings and the filament itself is all good.

This remix is based on



Standalone Drybox, spool holder - with humidity sensor

by Ondřej Stříteský

Model files



tacklock-fuktsensor-pla.stl



tacklock-fuktsensor-petg.stl

Print files



lable-pla.gcode

🌀 PLA 📏 0.40 mm 📏 0.30 mm ⌚ 0.26 hrs ⚖️ 5 g 🖨️ Prusa MK3/S/S+



lable-petg.gcode

🌀 PET 📏 0.40 mm 📏 0.30 mm ⌚ 0.28 hrs ⚖️ 5 g 🖨️ Prusa MK3/S/S+

License

This work is licensed under a
[Creative Commons \(4.0 International License\)](https://creativecommons.org/licenses/by-sa/4.0/)



Attribution-ShareAlike

- ✗ | Sharing without ATTRIBUTION
- ✓ | Remix Culture allowed
- ✓ | Commercial Use
- ✓ | Free Cultural Works
- ✓ | Meets Open Definition

