




All in One Temperature & Bridging Tower - PLA & PETG GCode included



Tronnic

[VIEW IN BROWSER](#)

updated 12. 8. 2019 | published 7. 8. 2019

Summary

A Temperature Tower designed to find the correct temperature for your filament!



9.35 hrs



2 pcs



0.15 mm



0.40 mm



PLA
PET



61 g



Prusa
MK3/S/S+

[3D Printers](#) > [Test Models](#)

Tags: [filament](#) [test](#) [tower](#) [pla](#) [temperature](#) [petg](#) [one](#)
[all](#) [in](#) [correct](#) [gcode](#)

A Temperature Tower designed to find the correct temperature for your filament!

The included .gcode is sliced using Simplify3D with the "Multiple Processes" tool to set the temperatures at different layer heights. Take a

look at the included image. Most settings for the S3D profile (0.15mm OPTIMAL) are from the official Prusa homepage.

NOTE: ONLY USE THE GCODE IF YOU ARE RUNNING AN ORIGINAL PRUSA i3 MK3/S!

Happy printing. :-)

Changelog:

- Added version without numbers in case someone wants to use this tower for other materials
- Added picture with measurements
- Added .gcode for PETG

Print instructions

PLA G-Code:

- File: temp-tower-190-230.stl
- Base prints with 200°C
- Bed 60°C
- Sections print between 190 - 230 in 5°C increments
- 0.15 Optimal (PLA) Profile from official prusa homepage
- Sliced with Simplify3D


PETG G-Code:

- File: temp-tower-no-numbers.stl
- Base prints with 240°C
- Bed 90°C
- Sections print between 220 - 260 in 5°C increments
- 0.15 Optimal (PETG) Profile from official prusa homepage
- Sliced with Simplify3D


Attention!!!

Watch the first few minutes of the print. Especially when the lowest temperature sections starts. If the extruder clogs up, create your own gcode and start with a higher temperature.


Model files



temp-tower-190-230.stl




temp-tower-no-numbers.stl




temperaturetower.step

Print files



temp-tower-190-230_pla_mk3s_4h_47m.gcode

⚙️ PLA ⚙️ 0.40 mm ⚙️ 0.15 mm ⌚ 4.78 hrs ⚖️ 30 g 🖨️ Prusa MK3/S/S+



temp-tower-220-260_petg_mk3s_4h_34m.gcode

⚙️ PET ⚙️ 0.40 mm ⚙️ 0.15 mm ⌚ 4.57 hrs ⚖️ 31 g 🖨️ Prusa MK3/S/S+

License ©

This work is licensed under a
Creative Commons (4.0 International License)



Attribution-ShareAlike

- ✗ | Sharing without ATTRIBUTION
- ✓ | Remix Culture allowed
- ✓ | Commercial Use

- ✓ | Free Cultural Works
- ✓ | Meets Open Definition