



Ring Indoor Camera Suction Cup Mount



Corteo

[VIEW IN BROWSER](#)

updated 3. 7. 2023 | published 3. 7. 2023

Summary

Ring indoor camera mount to be used with off-the-shelf suction cups.



1.34 hrs



1 pcs



0.30 mm



0.40 mm



PET



23 g



Prusa
MK3/S/S+

[Household](#) > [Other House Equipment](#)

Tags: [ringcameramount](#) [mounting](#) [ringcamera](#)
[mountingbracket](#) [mount](#)

This mount interfaces with the plastic base plate included with the camera itself via three M3 screws and two nuts. The semi-circular slot on the base allows for the camera to be rotated slightly to either side of perpendicular to get a better viewing angle.

Tips

- Ensure that the rotate video option is enabled for the camera within the Ring app to invert the image since the camera is mounted upside down.

- Ensure that the night vision IR light option is disabled for the camera within the Ring app to prevent excessive glare when recording through a window.

Model files



ringindoorcameramount_suctioncuparm.3mf

 Suction cup arm









ringindoorcameramount_base.3mf

 Camera Mount Base

Print files



ringindoorcameramount_base_suctioncuparm_03mm_petg_... .gcode

 PET  0.40 mm  0.30 mm  1.34 hrs  23 g  Prusa MK3/S/S+

 Base and suction cup mount. Supports enabled for build plate.

License

This work is licensed under a
Creative Commons (4.0 International License)



Attribution

-
- ✗ | Sharing without ATTRIBUTION
 - ✓ | Remix Culture allowed
 - ✓ | Commercial Use
 - ✓ | Free Cultural Works
 - ✓ | Meets Open Definition

