



LCR-Meter / M-Tester / LCR-T4 Case



Uranoxyd

[VIEW IN BROWSER](#)

updated 9. 7. 2021 | published 9. 7. 2021

Summary

This is a housing suitable for the component testers known as M-Tester or LCR-T4.



3.10 hrs



2 pcs



0.20 mm



0.40 mm



PLA



36 g



Prusa
MK3/S/S+

[Hobby & Makers](#) > [Electronics](#)

Tags: [case](#) [meter](#) [t4](#) [lcr](#)

This is a housing suitable for the component testers known as M-Tester or LCR-T4.

The area for identifying SMD components is not accessible.

4 M2.3 and 4 M2 self-tapping screws are required for assembly.

For my application it works really well, I mounted the 9V battery by a small strip of double sided tape, otherwise it would fall around uncontrolled in the case.

Model files



case.stl



case.3mf



lid.stl



lid.3mf

Print files



lid_02mm_pla_mk3s_35m.gcode

PLA 0.40 mm 0.20 mm 0.58 hrs 6 g Prusa MK3/S/S+



case_02mm_pla_mk3s_2h31m.gcode

PLA 0.40 mm 0.20 mm 2.52 hrs 29 g Prusa MK3/S/S+

License

This work is licensed under a
[Creative Commons \(International License\)](https://creativecommons.org/licenses/by/4.0/)



Public Domain

- ✓ | Sharing without ATTRIBUTION
- ✓ | Remix Culture allowed
- ✓ | Commercial Use
- ✓ | Free Cultural Works
- ✓ | Meets Open Definition