



Star Wars Clone Trooper Phase 2 Static Magnet



Synth3D

[VIEW IN BROWSER](#)

updated 14. 6. 2019 | published 15. 4. 2019

Summary

You can glue a 10 x 1.5 mm round magnet in the base.



1.24 hrs



1 pcs



0.20 mm



0.40 mm



PLA



18 g



Prusa
MK3/S/S+

[Art & Design](#) > [2D Plates & Logos](#)

Tags: [vader](#) [darth](#) [star](#) [xwing](#) [wars](#) [tie](#) [trooper](#)
[stormtrooper](#) [chewbacca](#) [fighter](#) [alliance](#) [galactic](#) [death](#)
[empire](#) [clone](#) [palpatine](#) [rebels](#) [leia](#) [luke](#) [sith](#)
[republic](#) [mandalorian](#) [ren](#) [first](#) [jedi](#) [starbird](#) [yoda](#)
[maul](#) [phasma](#) [order](#) [c3po](#) [mythosaur](#) [kylo](#) [han](#)
[r2d2](#) [royal](#) [boba](#) [emperor](#) [lord](#) [porg](#) [solo](#) [guard](#)
[rebellion](#) [fett](#) [phase](#)

You can glue a 10 x 1.5 mm round magnet in the base.

Print instructions

Recommended infill angle: **0°**

Low speed and high temperature will create a shiny top surface.

There are "holes" inside the model to make some of the top layers more uniform, and they were created with **0.2 layer height** in mind.

If your top surface is not flat & shiny and you see scarring, then make sure to check this guide: <https://bit.ly/2UtN0I1>

Model files



clone-p2-straight.stl



clone-p2-straight-blue.stl



clone-p2-straight-orange.stl

Print files



clone-trooper-phase-2-static.gcode

🌀 PLA 🌀 0.40 mm ≡ 0.20 mm 🕒 1.24 hrs 📊 18 g 🖨️ Prusa MK3/S/S+

License

This work is licensed under a
Creative Commons (4.0 International License)



Attribution—Noncommercial—Share Alike

- ✗ | Sharing without ATTRIBUTION
- ✓ | Remix Culture allowed
- ✗ | Commercial Use
- ✗ | Free Cultural Works
- ✗ | Meets Open Definition