

Stable and adjustable VESA 100 monitor mount



cover1012

[VIEW IN BROWSER](#)

updated 29. 1. 2024 | published 29. 1. 2024

Summary

Stable and adjustable VESA 100 monitor mount. 100% printable.



46.28 hrs



10 pcs



0.20 mm



0.40 mm



PET



534 g



Prusa
MK3/S/S+

[Household](#) > [Office](#)

Printing instructions:


- PETG
- Layers: 0.2mm
- Infill: 40%
- Perimeters: 6

For protection and better grip, you should attach self-adhesive felt to the back of monitor_connection_part_1.

Model files



monitor_connection_part_2.stl



joint.stl



wall_connection.stl



monitor_connection_part_1.stl



screw_x2.stl

Print files



Prusa MK3S+ (.gcode)

5 files



screw_x2_02mm_petg_mk3s_2h43m.gcode

PET 0.40 mm 0.20 mm 2.71 hrs 28 g Prusa MK3/S/S+



monitor_connection_part_2_02mm_petg_mk3s_4h30m.gcode

PET 0.40 mm 0.20 mm 4.50 hrs 52 g Prusa MK3/S/S+



monitor_connection_part_1_02mm_petg_mk3s_4h21m.gcode

PET 0.40 mm 0.20 mm 4.36 hrs 46 g Prusa MK3/S/S+



wall_connection_02mm_petg_mk3s_8h13m.gcode

PET 0.40 mm 0.20 mm 8.21 hrs 92 g Prusa MK3/S/S+



joint_02mm_petg_mk3s_6h10m.gcode

PET 0.40 mm 0.20 mm 6.17 hrs 71 g Prusa MK3/S/S+



Prusa Mini (.gcode)

5 files



wall_connection_04n_02mm_petg_mini_7h37m.gcode

PET 0.40 mm 0.20 mm 7.62 hrs 92 g Prusa MINI / MINI+




monitor_connection_part_1_04n_02mm_petg_mini_4h7m.gcode

PET 0.40 mm 0.20 mm 4.12 hrs 46 g Prusa MINI / MINI+



screw_x2_04n_02mm_petg_mini_2h35m.gcode

PET 0.40 mm 0.20 mm 2.58 hrs 28 g Prusa MINI / MINI+



monitor_connection_part_2_04n_02mm_petg_mini_4h14m.gcode

PET 0.40 mm 0.20 mm 4.24 hrs 52 g Prusa MINI / MINI+



joint_04n_02mm_petg_mini_5h54m.gcode

PET 0.40 mm 0.20 mm 5.89 hrs 71 g Prusa MINI / MINI+

License ©

This work is licensed under a
Creative Commons (4.0 International License)



Attribution

- ✗ | Sharing without ATTRIBUTION
- ✓ | Remix Culture allowed
- ✓ | Commercial Use
- ✓ | Free Cultural Works
- ✓ | Meets Open Definition