



# Focusrite Scarlett Solo Desk Mount

j jpnski

[VIEW IN BROWSER](#)

updated 1. 4. 2024 | published 1. 4. 2024

## Summary

Under-desk mount for the Focusrite Scarlett Solo 3rd Gen USB Audio Interface.

[Hobby & Makers](#) > [Music](#)

Tags: [guitar](#) [audio](#) [electricguitar](#) [audiointerface](#) [focusrite](#)  
[focusritescarlett](#) [scarlettsolo](#)

Under-desk mount for the Focusrite Scarlett Solo audio interface, mounts with either 3M double sided adhesive tape, or with screws up to 3.5mm in diameter.

The mount consists of two pieces which are mirror images, both pieces print vertically on the bed without supports. See attached .3MF file for print orientation.

### Print Settings:

- 6 Walls
- Any % infill
- Brim may help ensure print success
- No supports
- PLA/PETG/ABS

## Installation:

- Hold the Mount\_L and Mount\_R pieces along with the audio interface to the underside of a desk where desired, adjust for squareness, mark mounting holes on desk underside, or attach the doublesided tape.
- Pre-drill and install countersunk screws to secure interface to underside of desk.
- The compliant tabs at the front of the mount allow removal of the interface without unscrewing the mounts.
  - I have tested the mount in PETG and have inserted/removed the interface several times, but this area may eventually fail with many cycles, and depending on how tight the horizontal tolerance is once the mount is installed.

## Model files



**mount\_r.stl**



**mount\_l.stl**

---

**p1s\_abs\_02\_mount.3mf**

## License ©

This work is licensed under a  
**GNU**

**General Public License v2.0**



---

✗ | Sharing without ATTRIBUTION

- ✓ | Remix Culture allowed
- ✓ | Commercial Use
- ✓ | Meets Open Definition
- i** | Share under the same license