



MK4 buffer-frame-holder-reduced-hook_thickness



raymond_w

[VIEW IN BROWSER](#)

updated 12. 5. 2024 | published 12. 5. 2024

Summary

MK4 buffer-frame-holder-reduced-hook_thickness



0.25 hrs



1 pcs



0.20 mm



0.40 mm



PET



4 g



Prusa MK4

[3D Printers](#) > [Prusa Parts & Upgrades](#)

The MK4 "x-carriage-back" was able to hit the frame hook of this part so I adjusted its width.

After publishing this I found that a cable tie on the x-carriage cable outlet can interfere with this by about 1mm so I added "buffer-frame-holder-narrow-hook-trimmed-1mm.stl" and "Buffer Frame Holder_MK4 Frame R1_0.4n_0.2mm_PETG_MK4IS_15m.bgcode"

This remix is based on



MMU3 Cassette Compatible Buffer

by Paul

Model files



buffer-frame-holder-reduced-hook_thickness.stl



buffer-frame-holder-narrow-hook-trimmed-1mm.stl

Print files



buffer-frame-holder_mk4-frame-r1_04n_02mm_petg_mk4i... .bgcode

⚙ PET ⚙ 0.40 mm ≡ 0.20 mm ⌚ 0.25 hrs ⚖ 4 g 🖨 Prusa MK4

License ©

This work is licensed under a
GNU



General Public License v3.0

-
- ✗ | Sharing without ATTRIBUTION
 - ✓ | Remix Culture allowed
 - ✓ | Commercial Use
 - ✓ | Meets Open Definition
 - i | Share under the same license

