



Filament holder



TheFinnly

[VIEW IN BROWSER](#)

updated 21. 6. 2024 | published 21. 6. 2024

Summary

Удерживающее устройство для катушки универсальное.
предназначено для подвеса катушки в удобном месте над принтером

[3D Printers](#) > [Accessories](#)

Tags: [holder](#) [printer](#) [filament](#) [3dmodel](#) [coil](#)

Удерживающее устройство для катушки универсальное.
предназначено для подвеса катушки в удобном месте над принтером

Спецификация:

Втулка - 1

Крюк - 2

Опорная плита - 1

Штифт - 4

Настройки печати:

Заполнение - 35-45%

Периметры - 3-4

Материал PETG (Тут на ваше усмотрение)

Сборка:

Соединение штифтов промазать клеем

Втулка должна свободно вставляться в опорную плиту

Удачи Вам!

The retaining device for the coil is universal.
designed to hang the coil in a convenient location above the printer

Specification:

Bushing - 1

Hook - 2

Base plate - 1

Pin - 4

Print Settings:

Filling - 35-45%

Perimeters - 3-4

PETG material (Here at your discretion)

Assembling:

Glue the connection of the pins

The sleeve must be freely inserted into the base plate

Good luck to you!


Model files



shtift-pin.stl



kriuk-hook.stl



opornaia-plita-base-plate.stl

kriuk-hook.sldprt

shtift-pin.sldprt

stenka.sldprt

opornaia-plita-base-plate.sldprt



vtulka-bushing.stl

vtulka-bushing.sldprt

License

This work is licensed under a
[Creative Commons \(International License\)](#)



Public Domain

- ✓ | Sharing without ATTRIBUTION
- ✓ | Remix Culture allowed
- ✓ | Commercial Use
- ✓ | Free Cultural Works
- ✓ | Meets Open Definition