



protective jaw for a vice - Schutzbacke für einen Schraubstock

 ayjay

[VIEW IN BROWSER](#)

updated 11. 1. 2022 | published 18. 12. 2021

Summary

for a standard vice 139 mm width, good fit für einen Standardschraubstock 139 mm Breite, hat guten Sitz



1.90 hrs



2 pcs



0.20 mm



0.40 mm



Flex



18 g



Prusa
MK3/S/S+

[Hobby & Makers](#) > [Tools](#)

Tags: [protective](#) [protection](#) [vice](#) [schraubstock](#) [schutzblech](#)

Protective jaw for a standard vice 139 mm width, can easily be put over the vice and has a good fit

Schutzbacke für einen Standardschraubstock 139 mm Breite, kann einfach übergestülpt werden und hat einen guten Sitz

printed with TPU

Parameter:

0.2 mm layer height

15 % infill

no support/brim/raft

standard temperature for TPU from PrusaSlicer

Model files



protective-jaw-for-vice.stl

☐ no magnets

Print files



protective-jaw-for-vice_02mm_flex_mk3s_1h54m.gcode

Flex 0.40 mm 0.20 mm 1.90 hrs 18 g Prusa MK3/S/S+

☐ 1 jaw



2-protective-jaws-for-vice_02mm_flex_mk3s_3h48m.gcode

Flex 0.40 mm 0.20 mm 3.80 hrs 36 g Prusa MK3/S/S+

☐ 2 jaws

License

This work is licensed under a
[Creative Commons \(4.0 International License\)](https://creativecommons.org/licenses/by-nc-nd/4.0/)



Attribution—Noncommercial—No Derivatives

- ✗ | Sharing without ATTRIBUTION
- ✗ | Remix Culture allowed
- ✗ | Commercial Use

- ✖ | Free Cultural Works
- ✖ | Meets Open Definition