



## OFD Flycore - Improved for easy cable removal and arrangement V2



Siris Rui

[VIEW IN BROWSER](#)

updated 6. 8. 2024 | published 6. 8. 2024

### Summary

Improved for easy cable removal and arrangement V2

[Toys & Games](#) > [Other Toys & Games](#)

Tags: [blaster](#) [nerf](#) [flywheel](#) [hurricane](#) [flycore](#)

You need 4 m2.6x8mm screws to fix the front and rear flywheel compartment covers, and 12 m2.3x5mm screws to fix the left and right cable covers.

4 m2.6x8mm , 12 m2.3x5mm

I've only Improved the 30mm version, you can refer to my method to modify it.

30mm ,

**This remix is based on**



## OFD Noidcore Straight Talon - Design Your Next Printed Blaster!

by OFD - OldFusionDesigns

### Model files



**leftcover.stl**

---



**rightcover.stl**

---



**frontcover.stl**

---



**backcover.stl**

---



**mainbody.stl**

### License

This work is licensed under a  
[Creative Commons \(4.0 International License\)](#)



**Attribution—Noncommercial—Share Alike**

---

- ✗ | Sharing without ATTRIBUTION
- ✓ | Remix Culture allowed
- ✗ | Commercial Use
- ✗ | Free Cultural Works
- ✗ | Meets Open Definition